



號碼(No.): CE/2016/70156 日期(Date): 2016/07/11 頁數(Page): 1 of 6

# **Test Report**

美商伊士曼化學有限公司台灣分公司 EASTMAN CHEMICAL LTD., TAIWAN BRANCH 台北市北投區北投路二段13號8樓之1 8F-1, NO. 13, SEC. 2, BEITOU ROAD, TAIPEI, TAIWAN 以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

: 美商伊士曼化學有限公司台灣分公司 (EASTMAN CHEMICAL LTD., TAIWAN BRANCH) 送樣廠商(Sample Submitted By)

樣品名稱(Sample Description) : DRYSTAR(TM) 0603 COPOLYESTER,

> DRYSTAR(TM) 0827 COPOLYESTER, EASTAR(TM) COPOLYESTER GN071, EASTAR(TM) GN001 COPOLYESTER, EASTAR(TM) GN007 COPOLYESTER, EASTAR(TM) GN119 COPOLYESTER, EASTAR(TM) GN120 COPOLYESTER,

GSP01 COPOLYESTER

收件日期(Sample Receiving Date) : 2016/07/01

測試期間(Testing Period) : 2016/07/01 TO 2016/07/11

依據客戶指定,進行鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚測試. (As 測試需求(Test Requested):

specified by client, to test Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs

contents in the submitted sample.)

請見下一頁 (Please refer to next pages). 測試方法(Test Method)

請見下一頁 (Please refer to next pages).

Troy Chang Manager Signed for and on beha SGS TAIWAN LTOA

Chemical Laboratory - Taipei



號碼(No.): CE/2016/70156 日期(Date): 2016/07/11 頁數(Page): 2 of 6

## **Test Report**

美商伊士曼化學有限公司台灣分公司 EASTMAN CHEMICAL LTD., TAIWAN BRANCH 台北市北投區北投路二段13號8樓之1 8F-1, NO. 13, SEC. 2, BEITOU ROAD, TAIPEI, TAIWAN



#### 測試結果(Test Results)

測試部位(PART NAME)No.1 : 整體混測 (MIXED ALL PARTS)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321-5 (2013), 以感應耦合電漿 原子發射光譜儀檢測. / With reference	2	n. d.
鉛 / Lead (Pb)	mg/kg	to IEC 62321-5 (2013) and performed by ICP-AES.	2	n. d.
汞 / Mercury (Hg)	mg/kg	参考IEC 62321-4 (2013)以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-4 (2013) and performed by ICP-AES.	2	n. d.
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	参考IEC 62321 (2008),以UV-VIS檢測./ With reference to IEC 62321 (2008) and performed by UV-VIS.	2	n. d.
多溴聯苯總和 / Sum of PBBs	mg/kg		_	n. d.
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n. d.
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n. d.
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n. d.
四溴聯苯 / Tetrabromobiphenyl	mg/kg	参考IEC 62321-6 (2015),以氣相層析/質	5	n. d.
五溴聯苯 / Pentabromobiphenyl	mg/kg	譜儀檢測. / With reference to IEC	5	n. d.
六溴聯苯 / Hexabromobiphenyl	mg/kg	62321-6 (2015) and performed by GC/MS.	5	n. d.
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n. d.
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n.d.
九溴聯苯 / Nonabromobiphenyl	mg/kg		5	n. d.
十溴聯苯 / Decabromobiphenyl	mg/kg		5	n. d.



號碼(No.): CE/2016/70156 日期(Date): 2016/07/11 頁數(Page): 3 of 6

## **Test Report**

美商伊士曼化學有限公司台灣分公司 EASTMAN CHEMICAL LTD., TAIWAN BRANCH 台北市北投區北投路二段13號8樓之1 8F-1, NO. 13, SEC. 2, BEITOU ROAD, TAIPEI, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	万法偵測 極限值	結末 (Result)
(lest liems)	(UIII L)	(Method)	(MDL)	No. 1
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		_	n. d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg	參考IEC 62321-6 (2015),以氣相層析/質	5	n. d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n. d.
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n. d.
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n. d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg	譜儀檢測. / With reference to IEC	5	n. d.
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg	62321-6 (2015) and performed by GC/MS.	5	n. d.
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n. d.
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n. d.
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n. d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.

#### 備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. 樣品的測試是基於申請人要求混合測試,報告中的混合測試結果不代表其中個別單一材質的含量. (The samples was/were analyzed on behalf of the applicant as mixing sample in one testing. The above results was/were only given as the informality value.)



號碼(No.): CE/2016/70156 日期(Date): 2016/07/11 頁數(Page): 4 of 6

# **Test Report**


美商伊士曼化學有限公司台灣分公司 EASTMAN CHEMICAL LTD., TAIWAN BRANCH 台北市北投區北投路二段13號8樓之1 8F-1, NO. 13, SEC. 2, BEITOU ROAD, TAIPEI, TAIWAN



根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (  $\operatorname{Cr}^{6^+}$  test method excluded )

- 測試人員:王志瑋 / Technician: JR Wang
- 測試負責人:張啟興 / Supervisor: Troy Chang



#### Note\*\* (For IEC 62321)

- (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃ 萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃
- (2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.



號碼(No.): CE/2016/70156 日期(Date): 2016/07/11 頁數(Page): 5 of 6

## **Test Report**

美商伊士曼化學有限公司台灣分公司 EASTMAN CHEMICAL LTD., TAIWAN BRANCH 台北市北投區北投路二段13號8樓之1 8F-1, NO. 13, SEC. 2, BEITOU ROAD, TAIPEI, TAIWAN




#### 多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE

測試人員:涂雅苓 / Technician: Yaling Tu

測試負責人:張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process -選擇性篩檢程序 / Optional screen process ■■■■■■■ 確認程序 / Confirmation process - - - - →





號碼(No.): CE/2016/70156 日期(Date): 2016/07/11 頁數(Page): 6 of 6

# **Test Report**

美商伊士曼化學有限公司台灣分公司 EASTMAN CHEMICAL LTD., TAIWAN BRANCH 台北市北投區北投路二段13號8樓之1 8F-1, NO. 13, SEC. 2, BEITOU ROAD, TAIPEI, TAIWAN \* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2016/70156



\*\* 報告結尾 (End of Report) \*\*